



Stainless steel, tubes and fittings catalogue

This catalogue is constantly updating with new products

Contact:
Liisi Laanet +3725247480

liisi@flow.ee



Table of content

Sanitary SMS tubes and fittings ISO 2037/EN 10357 D series standard	5
Tubes AISI 304L/EN 1.4307 and AISI 316L/EN 1.4404	5
Tube holders	5
Tube holders with shaft.....	5
Tube holders without shaft	5
Bends.....	6
Bends R=1,5D AISI304L/EN 1.4307 and AISI316L/EN 1.4404	6
Bends R = 1D AISI304L/EN 1.4307 and AISI316L/EN 1.4404	6
Bends 45% AISI316L/EN 1.4404	6
Bends 3D AISI316L/EN 1.4404.....	6
Reducers	7
Concentric reducer AISI316L	7
Eccentric reducers AISI316L	7
Tees	7
Tees, short AISI316L/EN 1.4404	7
Reduced, long AISI316L/EN 1.4404	8
Reduced tee AISI316L/EN 1.4404.....	8
SMS fittings	9
SMS fittings, set.....	9
SMS male part AISI316L/EN 1.4404	9
SMS liner AISI316L/EN 1.4404.....	9
SMS nut	9
SMS end cap with chain	10
SMS seal ring EPDM, NBR, FPM, PTFE	10
Clamp ühendused	10

Contact:
Liisi Laanet +3725247480

liisi@flow.ee

Clamp ferrule AISI316L/EN 1.4404	10
Clamp ring	11
Clamp seal ring EPDM, FPM, PTFE, NBR.....	11
Sanitary tubes and fittings DIN 11850	12
Tubes AISI 304L and AISI 316L DIN 11850.....	12
Tube holders	12
Tube holders with shaft.....	12
Tube holders without shaft	12
Bends.....	13
Bends R=1,5D AISI304L/EN 1.4307 and AISI316L/EN 1.4404	13
Bends 45% AISI304L/ EN 1.4307 and AISI316L/ 1,4404	13
Reducers	14
Concentric reducer AISI304L and AISI316L	14
Eccentric reducers AISI304L and AISI316L.....	15
Tees	16
Tees, short AISI304L and AISI316L.....	16
Reduced, long AISI304L and AISI316L	16
Reduced tee AISI304L and AISI316L	17
DIN fittings.....	17
DIN unions, set	17
DIN male part AISI304L and AISI316L	17
DIN liner 304L and 316L	18
DIN nut 304 and 316L.....	18
DIN end cap with chain and NBR seal disc.....	18
DIN seal ring EPDM, NBR, FPM, PTFE	19
Clamp ferrule.....	19
Clamp ring	19
Clamp seal ring	20

Contact:

Liisi Laanet +3725247480

liisi@flow.ee

Process tubes and fittings.....	20
Process tubes	20
Bends R = 1,5D AISI304L/EN 1.4301 and AISI316L/EN 1.4404 EN 10253-3	22
Tees AISI304L/EN 1.4301 and AISI316L/EN 1.14404	23
Concentric reducer AISI304L/EN 1.4301 and AISI316L/EN 1.4404	23
End cap AISI316L/EN 1.4404	24
Stainless threaded fittings	25
Socket AISI316	25
Half socket AISI316	25
Welding nipple AISI316	26
Barrel nipples AISI316	26
Couplings AISI316 S/S	27
Couplings AISI316 S/V	27
Couplings weld. AISI316	27
Flanges.....	28
Welding ring with neck collar EN1092-1/37	28
Welding neck flange EN1092-1/11 EN 1.4404	29
Flat welding flange EN1092-1/1 EN 1.4404	29
Flat welding flange EN1092-1/2 EN 1.4404	30
Blind flange EN1092-1/5 EN 1.4404	30
Silumin flanges EN1092-1	31
Tuber holders	31
Ball valves	32
Ball valve 2- piece full open AISI316 S/S	32
Ball valve 2- piece half open AISI316 S/S	32
Ball valve 3- piece full open AISI316 S/S	32
Box sections	25


Contact:

Liisi Laanet +3725247480

liisi@flow.ee


Sanitary SMS tubes and fittings ISO 2037/EN 10357 D series standard

Tubes AISI 304L/EN 1.4307 and AISI 316L/EN 1.4404


Nr.	Size mm	Dimension, mm OD/ID x t	
1	25,0	25/22,6 x 1,2	
2	38,0	38/35,6 x 1,2	
3	51,0	51/48,6 x 1,2	
4	63.5	63,5/60,3 x 1,6	
5	76.1	76,1/72,9 x 1,6	
6	101.6	101,6/97,5 x 2,0	

Tube holders

Tube holders with shaft

Nr.	Size mm	A	B	
1	25,0	49.0	34.9	
2	38,0	62.0	41.4	
3	51,0	75.0	47.9	
4	63.5	87.6	54.2	
5	76.1	100.0	60.5	
6	101.6	125.6	73.4	

Tube holders without shaft

Nr.	Size mm	A	B	
1	25,0	49.0	14.9	
2	38,0	62.0	21.4	
3	51,0	75.0	27.9	
4	63.5	87.6	34.2	
5	76.1	100.0	40.5	
6	101.6	125.6	53.4	

Contact:

Liisi Laanet +3725247480

liisi@flow.ee

Bends

Bends R=1,5D AISI304L/EN 1.4307 and AISI316L/EN 1.4404

Nr.	Size mm	Dimension, mm			
		OD/ID x t	L	R	
1	25,0	25/22,6 x 1,2	38.0	37.5	
2	38,0	38/35,6 x 1,2	37.0	57.0	
3	51,0	51/48,6 x 1,2	76.0	76.5	
4	63.5	63,5/60,3 x 1,6	95.0	95.3	
5	76.1	76,1/72,9 x 1,6	114.0	114.2	
6	101.6	101,6/97,5 x 2,0	152.0	152.5	

Bends R = 1D AISI304L/EN 1.4307 and AISI316L/EN 1.4404

Nr.	Size mm	Dimension, mm			
		OD/ID x t	L	R	
1	25,0	25/22,6 x 1,2	55.0	25.0	
2	38,0	38/35,6 x 1,2	70.0	38.0	
3	51,0	51/48,6 x 1,2	82.0	51.0	
4	63.5	63,5/60,3 x 1,6	105.0	64.0	
5	76.1	76,1/72,9 x 1,6	110.0	76.0	

Bends 45% AISI316L/EN 1.4404

Nr.	Size mm	Dimension, mm			
		OD/ID x t	L ₁	L ₂	
1	25,0	25/22,6 x 1,2	70.0	47.0	
2	38,0	38/35,6 x 1,2	87.0	63.0	
3	51,0	51/48,6 x 1,2	119.5	86.5	
4	63.5	63,5/60,3 x 1,6	136.0	101.0	
5	76.1	76,1/72,9 x 1,6	157.0	119.0	
6	101.6	101,6/97,5 x 2,0	226.5	166.0	

Bends 3D AISI316L/EN 1.4404

Nr.	Size mm	Dimension, mm			
		OD/ID x t	L	R	
1	25,0	25/22,6 x 1,2	115.0	75.0	
2	38,0	38/35,6 x 1,2	136.0	93.0	
3	51,0	51/48,6 x 1,2	140.0	115.0	
4	63.5	63,5/60,3 x 1,6	225.0	150.0	
5	76.1	76,1/72,9 x 1,6	240.0	185.0	
6	101.6	101,6/97,5 x 2,0	250.0	215.0	

Contact:


Liisi Laanet +3725247480

liisi@flow.ee

Reducers


Concentric reducer AISI316L

No	Size mm	Dimension, mm		
		OD ₁ /ID ₁ x t ₁	OD ₂ /ID ₂ x t ₂	L
1	38/25	38/35,6 x 1,2	25/22,6 x 1,2	44
2	51/25	51/48,6 x 1,2	25/22,6 x 1,2	86
3	51/38	51/48,6 x 1,2	38/35,6 x 1,2	42
4	63,6/38	63,5/60,3 x 1,2	38/35,6 x 1,2	82
5	63,5/51	63,5/60,3 x 1,2	51/48,6 x 1,2	40
6	76,1/51	76,1/72,9 x 1,6	51/48,6 x 1,6	79
7	76,1/63,5	76,1/72,9 x 1,6	63,5/60,3 x 1,6	39
8	101,6/76,1	101,6/97,5 x 2,0	76,1/72,9 x 2,0	81



Eccentric reducers AISI316L


No	Size mm	Dimension, mm		
		OD ₁ /ID ₁ x t ₁	OD ₂ /ID ₂ x t ₂	L
1	38/25	38/35,6 x 1,2	25/22,6 x 1,2	44
2	51/25	51/48,6 x 1,2	25/22,6 x 1,2	86
3	51/38	51/48,6 x 1,2	38/35,6 x 1,2	42
4	63,6/38	63,5/60,3 x 1,2	38/35,6 x 1,2	82
5	63,5/51	63,5/60,3 x 1,2	51/48,6 x 1,2	40
6	76,1/51	76,1/72,9 x 1,6	51/48,6 x 1,6	79
7	76,1/63,5	76,1/72,9 x 1,6	63,5/60,3 x 1,6	39
8	101,6/76,1	101,6/97,5 x 2,0	76,1/72,9 x 2,0	81



Tees

Tees, short AISI316L/EN 1.4404

No	Size mm	Dimension, mm		
		OD/ID x t	L ₁	L ₂
1	25,0	25/22,6 x 1,2	55.0	27.0
2	38,0	38/35,6 x 1,2	70.0	40.5
3	51,0	51/48,6 x 1,2	82.0	54.5
4	63,5	63,5/60,3 x 1,6	105.0	67.0
5	76,1	76,1/72,9 x 1,6	110.0	81.0
6	101,6	101,6/97,5 x 2,0	150.0	107.0



Contact:

Liisi Laanet +3725247480

liisi@flow.ee

Reduced, long AISI316L/EN 1.4404

No	Size mm	Dimension, mm		
		OD/ID x t	L ₁	
1	25,0	25/22,6 x 1,2	55.0	
2	38,0	38/35,6 x 1,2	70.0	
3	51,0	51/48,6 x 1,2	82.0	
4	63,5	63,5/60,3 x 1,6	105.0	
5	76,1	76,1/72,9 x 1,6	110.0	
6	101,6	101,6/97,5 x 2,0	150.0	

Reduced tee AISI316L/EN 1.4404

No	Size mm	Dimension, mm				
		OD ₁ /ID ₁ x t ₁	OD ₂ /ID ₂ x t ₂	L ₁	L ₂	
1	38/25	38/35,6 x 1,2	25/22,6 x 1,2	70.0	40.7	
2	51/25	51/48,6 x 1,2	25/22,6 x 1,2	82.0	54.1	
3	51/38	51/48,6 x 1,2	38/35,6 x 1,2	82.0	54.1	
4	63,5/25	63,5/60,3 x 1,6	25/22,6 x 1,2	105.0	66.5	
5	63,5/38	63,5/60,3 x 1,6	38/35,6 x 1,2	105.0	67.6	
6	63,5/51	63,5/60,3 x 1,6	51/48,6 x 1,2	105.0	66.5	
7	76,1/25	76,1/72,9 x 1,6	25/22,6 x 1,6	110.0	79.3	
8	76,1/38	76,1/72,9 x 1,6	38/35,6 x 1,6	110.0	80.6	
9	76,1/51	76,1/72,9 x 1,6	51/48,6 x 1,6	110.0	80.6	
10	76,1/63,5	76,1/72,9 x 1,6	63,5/60,3 x 1,6	110.0	80.0	
11	101,6/25	101,6/97,5 x 2,0	25/22,6 x 1,6	150.0	105.0	
12	101,6/38	101,6/97,5 x 2,0	38/35,6 x 1,6	150.0	106.6	
13	101,6/51	101,6/97,5 x 2,0	51/48,6 x 1,6	150.0	106.6	
14	101,6/63,5	101,6/97,5 x 2,0	63,5/60,3 x 1,6	150.0	106.6	
15	101,6/76,1	101,6/97,5 x 2,0	51/48,6 x 1,6	150.0	106.6	

Contact:


Liisi Laanet +3725247480

liisi@flow.ee

SMS fittings


SMS fittings, set

No	Size mm	Dimension, mm		
		OD/ID x t	A	B
1	25,0	25/22,6 x 1,2	51.0	23.5
2	38,0	38/35,6 x 1,2	74.0	30.0
3	51,0	51/48,6 x 1,2	84.0	30.0
4	63.5	63,5/60,3 x 1,6	100.0	33.0
5	76.1	76,1/72,9 x 1,6	114.0	35.0
6	101,6	101,6/97,5 x 2,0	154.0	48.0




SMS male part AISI316L/EN 1.4404

No	Size mm	Dimension, mm		
		OD/ID x t	C	B
1	25,0	25/22,6 x 1,2	40 x 1/6	15.0
2	38,0	38/35,6 x 1,2	60 x 1/6	20.0
3	51,0	51/48,6 x 1,2	70 x 1/6	20.0
4	63.5	63,5/60,3 x 1,6	85 x 1/6	24.0
5	76.1	76,1/72,9 x 1,6	98 x 1/6	24.0
6	101,6	101,6/97,6 x 2,0	132 x 1/6	35.0




SMS liner AISI316L/EN 1.4404

No	Size mm	Dimension, mm		
		OD/ID x t	A	B
1	25,0	25/22,6 x 1,2	35.5	7.5
2	38,0	38/35,6 x 1,2	55.0	9.0
3	51,0	51/48,6 x 1,2	65.0	9.0
4	63.5	63,5/60,3 x 1,6	80.0	9.0
5	76.1	76,1/72,9 x 1,6	93.0	10.0
6	101,6	101,6/97,5 x 2,0	127.0	12.0



SMS nut

No	Size mm	Dimension, mm			
		A	C	B	D
1	25,0	51.0	40 x 1/6	20.0	32.0
2	38,0	74.0	60 x 1/6	25.0	48.0
3	51,0	84.0	70 x 1/6	26.0	60.5
4	63.5	100.0	85 x 1/6	30.0	74.0
5	76.1	114.0	98 x 1/6	32.0	87.0
6	101,6	154.0	132 x 1/6	45.0	117.0



Contact:

Liisi Laanet +3725247480

liisi@flow.ee

SMS end cap with chain

No	Size mm	Dimension, mm				
		A	C	B	D	
1	25,0	51.0	40 x 1/6	20.0	32.0	
2	38,0	74.0	60 x 1/6	25.0	48.0	
3	51,0	84.0	70 x 1/6	26.0	60.5	
4	63.5	100.0	85 x 1/6	30.0	74.0	
5	76.1	114.0	98 x 1/6	32.0	87.0	
6	101,6	154.0	132 x 1/6	45.0	117.0	

SMS seal ring EPDM, NBR, FPM, PTFE

No	Size mm	Dimension, mm			
		A	B	D	
1	25,0	32.0	5.5	24.8	
2	38,0	48.0	5.5	37.8	
3	51,0	60.5	5.5	50.8	
4	63.5	74.0	5.5	63.2	
5	76.1	87.0	5.5	75.5	
6	101,6	117.0	5.5	101.0	

Clamp ühendused

Clamp ferrule AISI316L/EN 1.4404

No	Size mm	Dimension, mm			
		OD/ID x t	A	B	
1	25,0	25/22,6 x 1,2	50.5	21.5	
2	38,0	38/35,6 x 1,2	50.5	21.5	
3	51,0	51/48,6 x 1,2	64.0	21.5	
4	63.5	63,5/60,3 x 1,6	77.5	21.5	
5	76.1	76,1/72,9 x 1,6	91.0	21.5	
6	101,6	101,6/97,5 x 2,0	119.0	21.5	


Contact:

Liisi Laanet +3725247480

liisi@flow.ee


Clamp ring

No	Size mm	Dimension, mm		
			A	
1	25,0/38,0		54.0	
3	51,0		67.1	
4	63.5		81.0	
5	76.1		94.5	
6	101,6		122.2	



Clamp seal ring EPDM, FPM, PTFE, NBR

No	Size mm	Dimension, mm		
		A	B	D
1	25,0	52.7	5.5	22.8
2	38,0	52.7	5.5	35.8
3	51,0	66.2	5.5	48.8
4	63.5	79.7	5.5	60.5
5	76.1	93.2	5.5	73.1
6	101,6	121.2	5.5	97.8




Contact:

Liisi Laanet +3725247480

liisi@flow.ee


Sanitary tubes and fittings DIN 11850

Tubes AISI 304L and AISI 316L DIN 11850


No	Size	Dimension, mm	
1	15	19/16 x 1,5	
2	20	23/20 x 1,5	
3	25	29/26 x 1,5	
4	32	35/32 x 1,5	
5	40	41/38 x 1,5	
6	50	53/50 x 1,5	
7	65	70/66 x 2,0	
8	80	85/81 x 2,0	
9	100	104/100 x 2,0	

Tube holders

Tube holders with shaft

No	Size	A	B	
1	25,0	49.0	34.9	
2	38,0	62.0	41.4	
3	51,0	75.0	47.9	
4	63.5	87.6	54.2	
5	76.1	100.0	60.5	
6	101.6	125.6	73.4	

Tube holders without shaft

No	Size	A	B	
1	25,0	49.0	14.9	
2	38,0	62.0	21.4	
3	51,0	75.0	27.9	
4	63.5	87.6	34.2	
5	76.1	100.0	40.5	
6	101.6	125.6	53.4	

Contact:


Liisi Laanet +3725247480

liisi@flow.ee

Bends


Bends R=1,5D AISI304L/EN 1.4307 and AISI316L/EN 1.4404

No	Size mm	Dimension, mm		
		OD/ID x t	L	R
1	10	13/10 x 1,5	38.0	26.0
2	15	19/16 x 1,5	47.0	35.0
3	20	23/20 x 1,5	52.0	40.0
4	25	29/26 x 1,5	70.0	50.0
5	40	41/38 x 1,5	85.0	60.0
6	50	53/50 x 1,5	97.0	70.0
7	65	70/66 x 2,0	110.0	80.0
8	80	85/81 x 2,0	118.0	90.0
9	100	104/100 x 2,0	140.0	100.0



Bends 45% AISI304L/ EN 1.4307 and AISI316L/ 1,4404

No	Size mm	Dimension, mm		
		OD/ID x t	L	R
1	25	29/26 x 1,5	34.0	50.0
2	32	35/32 x 1,5	37.0	55.0
3	40	41/38 x 1,5	41.0	60.0
4	50	53/50 x 1,5	48.0	70.0
5	65	70/66 x 2,0	55.0	80.0
6	80	85/81 x 2,0	62.0	90.0
7	100	104/100 x 2,0	69.0	100.0
8	125	129/125 x 2,0	131.0	187.5
9	150	154/150 x 2,0	157.0	225.0



Contact:


Liisi Laanet +3725247480

liisi@flow.ee

Reducers

Concentric reducer AISI304L and AISI316L

No	Size mm	Dimension, mm		
		OD ₁ /ID ₁ x t ₁	OD ₂ /ID ₂ x t ₂	L
1	15/10	19.00/16.00 x 1.50	13.00/10.00 x 1.50	11.00
2	20/10	23.00/20.00 x 1.50	13.00/10.00 x 1.50	18.00
3	20/15	23.00/20.00 x 1.50	19.00/16.00 x 1.50	7.00
4	25/10	29.00/26.00 x 1.50	13.00/10.00 x 1.50	29.00
5	25/15	29.00/26.00 x 1.50	19.00/16.00 x 1.50	18.00
6	25/20	29.00/26.00 x 1.50	23.00/20.00 x 1.50	11.00
7	32/15	35.00/32.00 x 1.50	19.00/16.00 x 1.50	29.00
8	32/20	35.00/32.00 x 1.50	23.00/20.00 x 1.50	22.00
9	32/25	35.00/32.00 x 1.50	29.00/26.00 x 1.50	11.00
10	40/15	41.00/38.00 x 1.50	19.00/16.00 x 1.50	40.00
11	40/20	41.00/38.00 x 1.50	23.00/20.00 x 1.50	33.00
12	40/25	41.00/38.00 x 1.50	29.00/26.00 x 1.50	22.00
13	40/32	41.00/38.00 x 1.50	35.00/32.00 x 1.50	11.00
14	50/25	53.00/50.00 x 1.50	29.00/26.00 x 1.50	44.00
15	50/32	53.00/50.00 x 1.50	35.00/32.00 x 1.50	33.00
16	50/40	53.00/50.00 x 1.50	41.00/35.00 x 1.50	22.00
17	65/25	70.00/66.00 x 2.00	29.00/26.00 x 1.50	73.00
18	65/32	70.00/66.00 x 2.00	35.00/32.00 x 1.50	62.00
19	65/40	70.00/66.00 x 2.00	42.00/38.00 x 2.00	51.00
20	65/50	70.00/66.00 x 2.00	54.00/50.00 x 2.00	29.00
21	80/25	85.00/81.00 x 2.00	29.00/26.00 x 1.50	100.00
22	80/32	85.00/81.00 x 2.00	35.00/32.00 x 1.50	89.00
23	80/40	85.00/81.00 x 2.00	41.00/38.00 x 1.50	78.00
24	80/50	85.00/81.00 x 2.00	54.00/50.00 x 2.00	56.00
25	80/65	85.00/81.00 x 2.00	70.00/66.00 x 2.00	27.00
26	100/25	104.00/100.00 x 2.00	29.00/26.00 x 1.50	134.00
27	100/32	104.00/100.00 x 2.00	35.00/32.00 x 1.50	123.00
28	100/40	104.00/100.00 x 2.00	42.00/38.00 x 2.00	112.00
29	100/50	104.00/100.00 x 2.00	54.00/50.00 x 2.00	90.00
30	100/65	104.00/100.00 x 2.00	70.00/66.00 x 2.00	61.00
31	100/80	104.00/100.00 x 2.00	85.00/81.00 x 2.00	34.00
32	125/25	129.00/125.00 x 2.00	29.00/26.00 x 1.50	179.00
33	125/32	129.00/125.00 x 2.00	35.00/32.00 x 1.5	168.00
34	125/40	129.00/125.00 x 2.00	41.00/38.00 x 1.50	157.00
35	125/50	129.00/125.00 x 2.00	54.00/50.00 x 2.00	135.00
36	125/65	129.00/125.00 x 2.00	70.00/66.00 x 2.00	106.00
37	125/80	129.00/125.00 x 2.00	85.00/81.00 x 2.00	79.00
38	125/100	129.00/125.00 x 2.00	104.00/100.00 x 2.00	45.00




Contact:

Liisi Laanet +3725247480

liisi@flow.ee

Eccentric reducers AISI304L and AISI316L

No	Size mm	Dimension, mm		
		OD ₁ /ID ₁ x t ₁	OD ₂ /ID ₂ x t ₂	L
1	15/10	19.00/16.00 x 1.50	13.00/10.00 x 1.50	16.50
2	20/10	23.00/20.00 x 1.50	13.00/10.00 x 1.50	27.50
3	20/15	23.00/20.00 x 1.50	19.00/16.00 x 1.50	11.00
4	25/10	29.00/26.00 x 1.50	13.00/10.00 x 1.50	44.00
5	25/15	29.00/26.00 x 1.50	19.00/16.00 x 1.50	27.50
6	25/20	29.00/26.00 x 1.50	23.00/20.00 x 1.50	16.50
7	32/15	35.00/32.00 x 1.50	19.00/16.00 x 1.50	44.00
8	32/20	35.00/32.00 x 1.50	23.00/20.00 x 1.50	33.00
9	32/25	35.00/32.00 x 1.50	29.00/26.00 x 1.50	16.50
10	40/15	41.00/38.00 x 1.50	19.00/16.00 x 1.50	60.40
11	40/20	41.00/38.00 x 1.50	23.00/20.00 x 1.50	49.50
12	40/25	41.00/38.00 x 1.50	29.00/26.00 x 1.50	33.00
13	40/32	41.00/38.00 x 1.50	35.00/32.00 x 1.50	16.50
14	50/25	53.00/50.00 x 1.50	29.00/26.00 x 1.50	65.90
15	50/32	53.00/50.00 x 1.50	35.00/32.00 x 1.50	49.50
16	50/40	53.00/50.00 x 1.50	41.00/35.00 x 1.50	33.00
17	65/25	70.00/66.00 x 2.00	29.00/26.00 x 1.50	109.90
18	65/32	70.00/66.00 x 2.00	35.00/32.00 x 1.50	93.40
19	65/40	70.00/66.00 x 2.00	42.00/38.00 x 2.00	76.90
20	65/50	70.00/66.00 x 2.00	54.00/50.00 x 2.00	44.00
21	80/25	85.00/81.00 x 2.00	29.00/26.00 x 1.50	151.10
22	80/32	85.00/81.00 x 2.00	35.00/32.00 x 1.50	134.60
23	80/40	85.00/81.00 x 2.00	41.00/38.00 x 1.50	118.10
24	80/50	85.00/81.00 x 2.00	54.00/50.00 x 2.00	85.20
25	80/65	85.00/81.00 x 2.00	70.00/66.00 x 2.00	41.20
26	100/25	104.00/100.00 x 2.00	29.00/26.00 x 1.50	203.30
27	100/32	104.00/100.00 x 2.00	35.00/32.00 x 1.50	186.80
28	100/40	104.00/100.00 x 2.00	42.00/38.00 x 2.00	170.30
29	100/50	104.00/100.00 x 2.00	54.00/50.00 x 2.00	137.40
30	100/65	104.00/100.00 x 2.00	70.00/66.00 x 2.00	93.40
31	100/80	104.00/100.00 x 2.00	85.00/81.00 x 2.00	52.20
32	125/25	129.00/125.00 x 2.00	29.00/26.00 x 1.50	272.00
33	125/32	129.00/125.00 x 2.00	35.00/32.00 x 1.5	255.50
34	125/40	129.00/125.00 x 2.00	41.00/38.00 x 1.50	239.00
35	125/50	129.00/125.00 x 2.00	54.00/50.00 x 2.00	206.10
36	125/65	129.00/125.00 x 2.00	70.00/66.00 x 2.00	162.10
37	125/80	129.00/125.00 x 2.00	85.00/81.00 x 2.00	120.90
38	125/100	129.00/125.00 x 2.00	104.00/100.00 x 2.00	68.70
39	150/65	154.00/150.00 x 2.00	70.00/66.00 x 2.00	230.80
40	150/80	154.00/150.00 x 2.00	85.00/81.00 x 2.00	189.60
41	150/100	154.00/150.00 x 2.00	104.00/100.00 x 2.00	137.40
42	150/125	154.00/150.00 x 2.00	129.00/125.00 x 2.00	68.70
43	200/65	204.00/200.00 x 2.00	70.00/66.00 x 2.00	368.00
44	200/80	204.00/200.00 x 2.00	85.00/81.00 x 2.00	327.00
45	200/100	204.00/200.00 x 2.00	104.00/100.00 x 2.00	275
46	200/125	204.00/200.00 x 2.00	129.00/125.00 x 2.00	206
47	200/150	204.00/200.00 x 2.00	154.00/150.00 x 2.00	137



Contact:


Liisi Laanet +3725247480

liisi@flow.ee

Tees


Tees, short AISI304L and AISI316L

No	Size mm	Dimension, mm		
		OD/ID x t	L ₁	L ₂
1	15	19.00/16.00 x 1.50	35.0	11.0
2	20	23.00/20.00 x 1.50	40.0	13.0
3	25	29.00/26.00 x 1.50	50.0	16.0
4	32	35.00/32.00 x 1.50	55.0	19.5
5	40	41.00/38.00 x 1.50	60.0	23.0
6	50	53.00/50.00 x 1.50	70.0	30.0
7	65	70.00/66.00 x 2	80.0	40.0
8	80	85.00/81.00 x 2	90.0	47.5
9	100	104.00/100.00 x 2.00	100.0	58.0
10	125	129.00/125.00 x 2	187.5	74.0
11	150	154.00/150.00 x 2.00	225.0	90.0
12	200	204.00/200.00 x 2.00	300.0	115.0



Reduced, long AISI304L and AISI316L

No	Size mm	Dimension, mm	
		OD/ID x t	L
1	10	13.00/10.00 x 1.5	26.0
2	15	19.00/16.00 x 1.50	35.0
3	20	23.00/20.00 x 1.50	40.0
4	25	29.00/26.00 x 1.50	50.0
5	32	35.00/32.00 x 1.5	55.0
6	40	41.00/38.00 x 1.50	60.0
7	50	53.00/50.00 x 1.50	70.0
8	65	70.00/66.00 x 2.00	80.0
9	80	85.00/81.00 x 2.00	90.0
10	100	104.00/100.00 x 2.00	100.0
11	125	129.00/125.00 x 2.00	187.5
12	150	154.00/150.00 x 2.00	225.0
13	200	204.00/200.00 x 2.00	300.0




Contact:

Liisi Laanet +3725247480

liisi@flow.ee

Reduced tee AISI304L and AISI316L


No	Size mm	Dimension, mm			
		OD ₁ /ID ₁ x t ₁	OD ₂ /ID ₂ x t ₂	L ₁	L ₂
1	32/25	34/31 x 1.5	28/25 x 1.5	55.0	20.5
2	40/25	40/37 x 1.5	28/25 x 1.5	60.0	23.5
3	40/32	40/37 x 1.5	34/31 x 1.5	60.0	23.0
4	50/32	52/49 x 1.5	34/31 x 1.5	70.0	29.0
5	50/40	52/49 x 1.5	40/37 x 1.5	70.0	29.0
6	65/50	70/66 x 2.0	52/49 x 1.5	80.0	39.0
7	80/50	85/81 x 2.0	52/49 x 1.5	90.0	47.0
8	80/65	85/81 x 2.0	70/66 x 2.0	90.0	47.0
9	100/50	104/100 x 2.0	52/49 x 1.5	100.0	58.0
10	100/65	104/100 x 2.0	70/66 x 2.0	100.0	58.0
11	100/80	104/100 x 2.0	85/81 x 2.0	100.0	59.0



DIN fittings


DIN unions, set

No	Size mm	Dimension, mm		
		OD/ID x t	A	B
1	10	13/10 x 1.5	38.0	25.0
2	15	19/16 x 1.5	44.0	25.0
3	20	23/20 x 1.5	54.0	25.0
4	25	29/26 x 1.5	63.0	31.0
5	32	35/32 x 1.5	70.0	31.0
6	40	41/38 x 1.5	78.0	31.0
7	50	53/50 x 1.5	92.0	33.0
8	65	70/66 x 2.0	112.0	35.0
9	80	85/81 x 2.0	127.0	35.0
10	100	104/100 x 2.0	148.0	41.0



DIN male part AISI304L and AISI316L

No	Size mm	Dimension, mm		
		OD/ID x t	C	B
1	10	13/10 x 1.5	28 x 1/8	17.0
2	15	19/16 x 1.5	34 x 1/8	17.0
3	20	23/20 x 1.5	44 x 1/6	19.0
4	25	29/26 x 1.5	52 x 1/6	22.0
5	32	35/32 x 1.5	58 x 1/6	22.0
6	40	41/38 x 1.5	65 x 1/6	22.0
7	50	53/50 x 1.5	78 x 1/6	23.0
8	65	70/66 x 2.0	95 x 1/6	25.0
9	80	85/81 x 2.0	110 x 1/4	25.0
10	100	104/100 x 2.0	130 x 1/4	30.0




Contact:

Liisi Laanet +3725247480

liisi@flow.ee


DIN liner 304L and 316L

No	Size mm	Dimension, mm		
		OD/ID x t	A	B
1	10	13/10 x 1.5	22.0	13.0
2	15	19/16 x 1.5	28.0	13.0
3	20	23/20 x 1.5	36.0	13.0
4	25	29/26 x 1.5	44.0	15.0
5	32	35/32 x 1.5	50.0	15.0
6	40	41/38 x 1.5	56.0	15.0
7	50	53/50 x 1.5	68.0	16.0
8	65	70/66 x 2.0	86.0	17.0
9	80	85/81 x 2.0	100.0	17.0
10	100	104/100 x 2.0	121.0	20.0




DIN nut 304 and 316L

No	Size mm	Dimension, mm			
		A	C	B	D
1	10	38.0	28 x 1/8	18.0	14.0
2	15	44.0	34 x 1/8	18.0	25.0
3	20	54.0	44 x 1/6	20.0	31.0
4	25	63.0	52 x 1/6	21.0	36.0
5	32	70.0	58 x 1/6	21.0	42.0
6	40	78.0	65 x 1/6	21.0	49.0
7	50	92.0	78 x 1/6	22.0	62.0
8	65	112.0	95 x 1/6	25.0	80.0
9	80	127.0	110 x 1/4	29.0	94.0
10	100	148.0	130 x 1/4	31.0	115.0



DIN end cap with chain and NBR seal disc

No	Size mm	Dimension, mm			
		A	C	B	D
1	10	38.0	28 x 1/8	18.0	8.0
2	15	44.0	34 x 1/8	18.0	8.0
3	20	54.0	44 x 1/6	21.0	8.0
4	25	63.0	52 x 1/6	21.0	8.0
5	32	70.0	58 x 1/6	21.0	8.0
6	40	78.0	65 x 1/6	21.0	8.0
7	50	92.0	78 x 1/6	22.0	8.0
8	65	112.0	95 x 1/6	25.0	8.0
9	80	127.0	110 x 1/4	29.0	8.0
10	100	148.0	130 x 1/4	31.0	8.0
11	125	178.0	160 x 1/4	34.0	8.0
12	150	210.0	190 x 1/4	40.0	8.0




Contact:

Liisi Laanet +3725247480

liisi@flow.ee


DIN seal ring EPDM, NBR, FPM, PTFE

No	Size mm	Dimension, mm		
		A	B	D
1	10	20.0	4.5	12.0
2	15	26.0	4.5	18.0
3	20	33.0	4.5	23.0
4	25	40.0	5.0	30.0
5	32	46.0	5.0	36.0
6	40	52.0	5.0	42.0
7	50	64.0	5.0	54.0
8	65	81.0	5.0	71.0
9	75	88.0	5.0	78.0
10	80	95.0	5.0	85.0
11	100	114.0	6.0	104.0
12	125	142.0	7.0	130.0
13	150	167.0	7.0	155.0




Clamp ferrule

No	Size mm	Dimension, mm		
		OD/ID x t	A	B
1	10	13/10 x 1.5	34.0	18.0
2	15	19/16 x 1.5	34.0	18.0
3	20	23/20 x 1.5	34.0	18.0
4	25	29/26 x 1.5	50.5	21.5
5	32	35/32 x 1.5	50.5	21.5
6	40	41/38 x 1.5	50.5	21.5
1	50	53/50 x 1.5	64.0	21.5
2	65	70/66 x 2.0	91.0	28.0
3	80	85/81 x 2.0	106.0	28.0
4	100	104/100 x 2.0	119.0	28.0
5	125	129/125 x 2.0	155.0	28.0
6	150	154/150 x 2.0	183.0	28.0



Clamp ring

No	Size mm	Dimension, mm	
		A	
1	25- 40	54.0	
3	50	67.1	
4	65	94.5	
5	100	122.2	




Contact:

Liisi Laanet +3725247480

liisi@flow.ee

Clamp seal ring

No	Size mm	Dimension, mm		
		A	B	D
1	10	36.2	5.1	10.0
2	15	36.2	5.1	16.0
3	20	36.2	5.1	20.0
4	25	52.7	5.1	26.0
5	32	52.7	5.1	32.0
6	40	52.7	5.1	38.0
7	50	66.2	5.1	50.0
8	65	93.2	5.1	66.0
9	80	108.2	5.1	81.0
10	100	121.2	5.1	100.0



Process tubes and fittings

Process tubes

AISI304L/EN 1.4301 and
AISI316L/EN 1.4404 EN 10217-7

DN	Size mm	DN	Size mm
10	17,2 x 1,5	125	139,7 x 2,0
15	21,3 x 1,5		139,7 x 2,5
	21,3 x 2,0	150	168,3 x 2,0
20	26,9 x 1,5		168,3 x 2,5
	26,9 x 2,0		168,3 x 3,0
25	33,7 x 1,5	200	219,1 x 2,0
	33,7 x 2,0		219,1 x 2,5
32	42,4 x 1,5		219,1 x 3,0
	42,4 x 2,0	250	273,0 x 2,0
40	48,3 x 1,5		273,0 x 2,5
	48,3 x 2,0		273,0 x 3,0
50	60,3 x 1,5	300	323,9 x 2,5
	60,3 x 2,0		323,9 x 3,0
65	76,1 x 1,5	350	355,6 x 2,5
	76,1 x 2,0		355,6 x 3,0
80	88,9 x 1,5	400	406,4 x 3,0
	88,9 x 2,0		
100	114,3 x 1,5		
	114,3 x 2,0		

Contact:

Liisi Laanet +3725247480

liisi@flow.ee

Threaded tubes AISI304L/EN
1.4301 and AISI316L/EN
1.4404 EN 0217-7

DN	Size mm
8	13,5 x 2,3
10	17,2 x 2,3
15	21,3 x 2,6
20	26,9 x 2,6
25	33,7 x 3,2
32	42,4 x 3,2
40	48,3 x 3,2
50	60,3 x 3,6
65	76,1 x 3,6
80	88,9 x 4,0
100	114,3 x 4,0

Handrail tube polished
GRIT 320 AISI304

DN	Size mm
40	42,4 x 2,0



Contact:
Liisi Laanet +3725247480

liisi@flow.ee

Bends R = 1,5D AISI304L/EN 1.4301 and AISI316L/EN 1.4404 EN 10253-3

DN	Size, mm	R, mm
10	17,2 x 2,0	25
15	21,3 x 2,0	28
	21,3 x 2,6	28
20	26,9 x 2,0	28.5
	26,9 x 2,6	28.5
	26,9 x 3,0	28.5
25	33,7 x 2,0	38
	33,7 x 2,6	38
32	42,4 x 2,0	47.6
	42,4 x 2,6	47.6
40	48,3 x 2,0	57.1
	48,3 x 2,6	57.1
50	60,3 x 2,0	76.2
	60,3 x 3,0	76.2
65	76,1 x 2,0	96.0
	76,1 x 2,6	96.0
80	88,9 x 2,0	114,3
	88,9 x 2,6	114,3
100	114,3 x 2,0	152,5
	114,3 x 2,6	152,5
	114,3 x 3,0	152,5
125	139,7 x 2,0	190,0
	139,7 x 3,0	190,0
150	168,3 x 2,0	229,0
	168,3 x 3,0	229,0
200	219,1 x 2,0	305,0
	219,1 x 3,0	305,0
250	273,0 x 2,0	381,0
	273,0 x 3,0	381,0
300	323,9 x 3,0	457,0



Contact:

Liisi Laanet +3725247480

liisi@flow.ee

Tees AISI304L/EN 1.4301 and AISI316L/EN 1.14404

DN	Size, mm
10	17,2x17,2x1,6
15	21,3x21,3x2,0
20	26,9x26,9x2,0
25	33,7x33,7x2,0
32	42,4x42,4x2,0
40	48,3x48,3x2,0
50	60,3x60,3x2,0
65	76,1x76,1x2,0
80	88,9x88,9x2,0
100	114,3x114,3x2,0
125	139,7x139,7x2,0
150	168,3x168,3x2,0
200	219,1x219,1x2,0
250	273,0x273,0x3,0
300	323,9x323,9x3,0



Concentric reducer AISI304L/EN 1.4301 and AISI316L/EN 1.4404

POS	Size D1, mm	Size D2, mm	s, mm	POS	Size D1, mm	Size D2, mm	s, mm
1	21,3	17,2	2	16	76,1	48,3	2
2	26,9	17,2	2	17	76,1	60,3	2
3	26,9	21,3	2	18	88,9	48,3	2
4	33,7	21,3	2	19	88,9	60,3	2
5	33,7	26,9	2	20	88,9	76,1	2
6	42,4	26,9	2	21	114,3	60,3	2
7	42,4	33,7	2	22	114,3	76,1	2
8	48,3	26,9	2	23	114,3	88,9	2
9	48,3	33,7	2	24	139,7	88,9	2
10	48,3	42,4	2	25	139,7	114,3	2
11	60,3	26,9	2	26	168,3	114,3	2
12	60,3	33,7	2	27	168,3	139,7	2
13	60,3	42,4	2	28	219,1	114,3	2,5
14	60,3	48,3	2	29	219,1	168,3	2,5
15	76,1	42,4	2				

Contact:

Liisi Laanet +3725247480

liisi@flow.ee

End cap AISI316L/EN 1.4404

DN	Size, mm
15	21,3x2,0
20	26,9x2,0
25	33,7x2,0
32	42,4x2,0
40	48,3x2,0
50	60,3x2,0
	60,3x3,0
65	76,1x2,0
	76,1x3,0
80	88,9x2,0
	88,9x3,0
100	114,3x2,0
	114,3x3,0
125	139,7x3,0
150	168,3x3,0
200	219,1x3,0
250	273,0x3,0
300	323,9x3,0



Contact:
Liisi Laanet +3725247480

liisi@flow.ee

Stainless threaded fittings

Socket AISI316

DN	Size	Size, mm
6	1/8"	10,2
8	1/4"	13,5
10	3/8"	17,2
15	1/2"	21,3
20	3/4"	26,9
25	1"	33,7
32	1 1/4"	42,4
40	1 1/2"	48,3
50	2"	60,3
65	2 1/2"	76,1
80	3"	88,9
100	4"	114,3



Half socket AISI316

DN	Size	Size, mm
6	1/8"	10,2
8	1/4"	13,5
10	3/8"	17,2
15	1/2"	21,3
20	3/4"	26,9
25	1"	33,7
32	1 1/4"	42,4
40	1 1/2"	48,3
50	2"	60,3
65	2 1/2"	76,1
80	3"	88,9
100	4"	114,3



Contact:

Liisi Laanet +3725247480

liisi@flow.ee

Welding nipple AISI316

DN	Size	Size, mm
6	1/8"	10,2
8	1/4"	13,5
10	3/8"	17,2
15	1/2"	21,3
20	3/4"	26,9
25	1"	33,7
32	1 1/4"	42,4
40	1 1/2"	48,3
50	2"	60,3
65	2 1/2"	76,1
80	3"	88,9
100	4"	114,3



Barrel nipples AISI316

DN	Size	Size, mm
6	1/8"	10,2
8	1/4"	13,5
10	3/8"	17,2
15	1/2"	21,3
20	3/4"	26,9
25	1"	33,7
32	1 1/4"	42,4
40	1 1/2"	48,3
50	2"	60,3
65	2 1/2"	76,1
80	3"	88,9
100	4"	114,3



Contact:

Liisi Laanet +3725247480

liisi@flow.ee

Couplings AISI316 S/S

DN	Size	Size, mm
6	1/8"	10,2
8	1/4"	13,5
10	3/8"	17,2
15	1/2"	21,3
20	3/4"	26,9
25	1"	33,7
32	1 1/4"	42,4
40	1 1/2"	48,3
50	2"	60,3
65	2 1/2"	76,1



Couplings AISI316 S/V

DN	Size	Size, mm
6	1/8"	10,2
8	1/4"	13,5
10	3/8"	17,2
15	1/2"	21,3
20	3/4"	26,9
25	1"	33,7
32	1 1/4"	42,4
40	1 1/2"	48,3
50	2"	60,3
65	2 1/2"	76,1



Couplings weld. AISI316

DN	Size	Size, mm
6	1/8"	10,2
8	1/4"	13,5
10	3/8"	17,2
15	1/2"	21,3
20	3/4"	26,9
25	1"	33,7
32	1 1/4"	42,4
40	1 1/2"	48,3
50	2"	60,3
65	2 1/2"	76,1



Contact:

Liisi Laanet +3725247480

liisi@flow.ee

Flanges

Welding ring with neck collar EN1092-1/37

DN	Size D, mm	Size G, mm	s, mm
10	17,2	42	2
15	21,3	45	2
20	26,9	58	2
25	33,7	68	2
32	42,4	78	2
40	48,3	88	2
50	60,3	102	2
65	76,1	122	2
80	88,9	138	2
100	114,3	158	2
	114,3	158	3
125	139,7	188	2
	139,7	188	3
150	168,3	212	2
	168,3	212	3
200	219,1	268	2
	219,1	268	3
250	273,0	320	2
	273,0	320	3
300	323,9	370	2
	323,9	370	3



Contact:
Liisi Laanet +3725247480

liisi@flow.ee

Welding neck flange EN1092-1/11 EN 1.4404

DN	Size D, mm	
200	219,1	PN10
250	273,0	PN10
300	323,9	PN10
350	355,6	PN10
400	406,6	PN10
50	60,3	PN16
65	76,1	PN16
80	88,9	PN16
100	114,3	PN16
125	139,7	PN16
150	168,3	PN16
200	219,1	PN16
15	21,3	PN40
20	26,9	PN40
25	33,7	PN40
32	42,4	PN40
40	48,3	PN40
50	60,3	PN40
65	76,1	PN40
80	88,9	PN40
100	114,3	PN40
125	139,7	PN40
150	168,3	PN40
200	219,1	PN40



Flat welding flange EN1092-1/1 EN 1.4404

DN	Size D, mm	
200	219,1	PN10
250	273,0	PN10
50	60,3	PN16
65	76,1	PN16
80	88,9	PN16
100	114,3	PN16
125	139,7	PN16
150	168,3	PN16
15	21,3	PN40
20	26,9	PN40
25	33,7	PN40
32	42,4	PN40
40	48,3	PN40
50	60,3	PN40



Contact:

Liisi Laanet +3725247480

liisi@flow.ee

Flat welding flange EN1092-1/2 EN 1.4404

DN	Size D, mm	
200	219,1	PN10
250	273,0	PN10
300	323,9	PN10
350	355,6	PN10
400	406,6	PN10
50	60,3	PN16
65	76,1	PN16
80	88,9	PN16
100	114,3	PN16
125	139,7	PN16
150	168,3	PN16
200	219,1	PN16
15	21,3	PN40
20	26,9	PN40
25	33,7	PN40
32	42,4	PN40
40	48,3	PN40
50	60,3	PN40



Blind flange EN1092-1/5 EN 1.4404

DN	Size D, mm	
200	219,1	PN10
250	273,0	PN10
300	323,9	PN10
50	60,3	PN16
65	76,1	PN16
80	88,9	PN16
100	114,3	PN16
125	139,7	PN16
150	168,3	PN16
200	219,1	PN16
15	21,3	PN40
20	26,9	PN40
25	33,7	PN40
32	42,4	PN40
40	48,3	PN40
50	60,3	PN40
65	76,1	PN40
80	88,9	PN40
100	114,3	PN40
125	139,7	PN40
150	168,3	PN40



Contact:

Liisi Laanet +3725247480

liisi@flow.ee

Silumin flanges EN1092-1

DN	Size D, mm	
15	21,3	PN10
20	26,9	PN10
25	33,7	PN10
32	42,4	PN10
40	48,3	PN10
50	60,3	PN10
65	76,1	PN10
80	88,9	PN10
100	114,3	PN10
125	139,7	PN10
150	168,3	PN10
200	219,1	PN10
250	273,0	PN10
300	323,9	PN10

Tuber holders

DN	Size D1, mm
10	17,2
15	21,3
20	26,9
25	33,7
32	42,4
40	48,3
50	60,3
65	76,1
80	88,9
100	114,3
125	139,7
150	168,3
200	219,1



Contact:

Liisi Laanet +3725247480

liisi@flow.ee

Ball valves

Ball valve 2- piece full open AISI316 S/S

DN	Size	Size, mm
8	1/4"	13,5
10	3/8"	17,2
15	1/2"	21,3
20	3/4"	26,9
25	1"	33,7
32	1 1/4"	42,4
40	1 1/2"	48,3
50	2"	60,3

Ball valve 2- piece half open AISI316 S/S

DN	Size	Size, mm
8	1/4"	13,5
10	3/8"	17,2
15	1/2"	21,3
20	3/4"	26,9
25	1"	33,7
32	1 1/4"	42,4
40	1 1/2"	48,3
50	2"	60,3

Ball valve 3- piece full open AISI316 S/S

DN	Size	Size, mm
8	1/4"	13,5
10	3/8"	17,2
15	1/2"	21,3
20	3/4"	26,9
25	1"	33,7
32	1 1/4"	42,4
40	1 1/2"	48,3
50	2"	60,3



Contact:

Liisi Laanet +3725247480

liisi@flow.ee

Box sections

Square tubes

Pos	Size mm	Pos	Size mm
1	10,0x10,0x1,0	22	50,0x50,0x3,0
2	15,0x15,0x1,5	23	50,0x50,0x4,0
3	20,0x20,0x1,0	24	60,0x60,0x1,5
4	20,0x20,0x1,2	25	60,0x60,0x2,0
5	20,0x20,0x2,5	26	60,0x60,0x3,0
6	25,0x25,0x1,0	27	60,0x60,0x4,0
7	25,0x25,0x1,2	28	60,0x60,0x5,0
8	25,0x25,0x1,5	29	70,0x70,0x3,0
9	25,0x25,0x2,0	30	70,0x70,0x4,0
10	30,0x30,0x1,0	31	80,0x80,0x2,0
11	30,0x30,0x1,2	32	80,0x80,0x3,0
12	30,0x30,0x1,5	33	80,0x80,0x4,0
13	30,0x30,0x2,0	34	80,0x80,0x5,0
14	30,0x30,0x3,0	35	100,0x100,0x3,0
15	40,0x40,0x1,0	36	100,0x100,0x4,0
16	40,0x40,0x1,2	37	100,0x100,0x5,0
17	40,0x40,0x1,5	38	100,0x100,0x6,0
18	40,0x40,0x2,0	39	120,0x120,0x4,0
19	40,0x40,0x3,0	40	120,0x120,0x5,0
20	50,0x50,0x1,5	41	120,0x120,0x6,0
21	50,0x50,0x2,0	42	150,0x150,0x5,0



Rectangular tubes

Pos	Size mm	Pos	Size mm	Pos	Size mm	Pos	Size mm
1	20,0x15,0x1,5	11	50,0x25,0x1,5	21	60,0x40,0x3,0	31	100,0x60,0x3,0
2	25,0x10,0x1,5	12	50,0x25,0x2,0	22	80,0x40,0x2,0	32	100,0x60,0x4,0
3	25,0x15,0x1,0	13	50,0x30,0x1,5	23	80,0x40,0x3,0	33	120,0x40,0x3,0
4	25,0x20,0x1,5	14	50,0x30,0x2,0	24	80,0x40,0x4,0	34	120,0x60,0x3,0
5	30,0x20,0x1,0	15	50,0x20,0x3,0	25	80,0x60,0x3,0	35	120,0x80,0x3,0
6	30,0x20,0x1,5	16	60,0x30,0x1,5	26	100,0x40,0x3,0	36	120,0x80,0x4,0
7	40,0x20,0x1,5	17	60,0x30,0x2,0	27	100,0x40,0x4,0	37	120,0x80,0x4,0
8	40,0x20,0x2,0	18	60,0x30,0x3,0	28	100,0x50,0x2,0	38	150,0x50,0x3,0
9	50,0x20,0x1,5	19	60,0x40,0x1,5	29	100,0x50,0x3,0	39	150,0x100,0x5,0
10	50,0x20,0x2,0	20	60,0x40,0x2,0	30	100,0x50,0x4,0	40	200,0x100,0x5,0

Contact:

Liisi Laanet +3725247480

liisi@flow.ee

Contact:
Liisi Laanet +3725247480

liisi@flow.ee

